

Sliding + Stacking Door

The Urban Stacking/Sliding Door has been designed to take advantage of the great outdoors, to deliver that perfect alfresco environment. Configurations of two, three and four-panel standard designs plus the added options of three or six-panel multi-stacking and corner entry options, allow for a high degree of design flexibility.

The door's excellent structural and weather performance is designed to suit Australia's wide range of climate conditions. Complemented with high quality surface mounted hardware, integrated insect or barrier screening options and double glazing capabilities ensure the Urban Stacking/Sliding Door can be tailored to your exacting requirements.



Sliding + Stacking Door

Measurements

Revealed

Stud Opening		1560	1860	2160	2460
	Frame Size	1510	1810	2110	2410
2130	2100	-	←	←	-
		2786	3236	3686	
		2736	3186	3636	
2130	2100	←	←	←	
		3042	3642	4242	4842
		2992	3592	4192	4792
2130	2100	← →	← →	← →	← →

Face Fit

Frame Size	1514	1814	2114	2414
2102	•	←	←	←
	2740	3190	3640	
2102	4-	←	←	
	2996	3596	4196	4796
2102	← →	← →	← →	← →

Available in 3 & 6 panels

Stud Opening		2267	2717	3167	3617
	Frame Size	2217	2667	3117	3567
2130	2100	←	← ←	← ←	← ←
		2267	2717	3167	3617
		2217	2667	3117	3567
2130	2100	→	→ →	→ →	→ →
		5360	6260		
		5310	6210		
2130	2100	← ← → →	← ← → →		





Sliding + Stacking Door





Features + Benefits

- 101.6mm Framing System
- Single and double glazed options
- Standard configurations (XO/OXO/OXXO)
- Multistack configurations (XXO/OXXXXO)
- Inside and outside corner configurations (OXXcXXO)
- Highlight and sidelight options available on selected configurations
- Standard and low profile sill options
- Self draining sill design
- Integrated insect and security screening options
- Custom design hardware options
- Corner Sliding options
- Bushfire and Acoustic ratings



Maximum Performance

SLS	2500Pa / 3000Pa
ULS	6000Pa / 5500Pa
Water	450Pa / 300Pa

Frame Dimensions

Option 1 Sill	101.6 x 50mm STD
Option 2 Sill	101.6 x 62mm HP
Option 3 Sill	101.6 x 19mm LP

Maximum Recommended Size

Height	2700mm		
Width	1200mm STD 1500mm HD		
Weight	160kg		

Glazing Capacity

Single Glazed	4mm - 10mm
Double Glazed	16mm - 18mm





